




3X3 MATRIX FOR PUBLIC AND SEMI-PUBLIC SANITARY FACILITIES

FOR NEW BUILDINGS AND FULL RENOVATIONS









Semi-public and public buildings such as hotels and prestigious properties require solutions that meet high standards of comfort and design. In public toilets, the customer experience is significantly influenced by intuitive operation and the flawless functioning of the WC suite. Geberit system solutions for WCs, urinals and washbasins are the first choice for sanitary facilities that present the operator in the best light.



1 WC SOLUTION FOR HIGH DEMANDS ON DESIGN, FUNC-TION AND HYGIENE

with: Geberit ONE WC – Geberit Sigma80 actuator plates – Geberit Duofix WC installation element

- Rimfree® WC ceramic appliance
- WC seat ring and WC lid with SoftClosing and QuickRelease
- TurboFlush flush technology with ideal flushing out and reduced cleaning effort
- · Automatic flush actuation after use
- Manual touchless dual flush actuation possible

2 EASILY MAINTAINED AND EASILY CLEANED URINAL WITH STATE-OF-THE-ART ELECTRONICS AND INDIVIDU-ALLY ADJUSTABLE FLUSH FUNCTIONS

with: Geberit Preda urinal – Geberit urinal division – Geberit Duofix urinal installation element

- · Rimless urinal with spray head
- Automatic flush actuation
- Easy access and quick replacement of all functional parts
- Direct access to the drainage system without dismantling

3 VERY HIGH-QUALITY AND HYGIENIC WASHBASIN SOLU-TION WITH INVISIBLE TRAP

with: Geberit ONE washbasin – Geberit Brenta wall-mounted tap – Geberit Duofix washbasin installation element

- Touchless wall-mounted tap with intuitive operation
- · Washbasin with horizontal drain
- Minimal cleaning effort: Combination of wall-mounted tap and washbasin with horizontal drain
- Fully integrated thermostat function with high user convenience and scald protection
- High vandal resistance due to integration of the wall-mounted tap into the installation element



RETURN ON INVESTMENT

A larger initial investment compared to the Geberit standard solution pays for itself over the years of operation through low operating and maintenance costs, and at the same time improves the customer experience.



CONTRIBUTION TO CERTIFICATION

The product features of the Advanced solution can have a positive effect on building certifications.



ADVANCED

GEBERIT WC



NEW BUILDINGS AND FULL RENOVATIONS

ADVANCED STANDARD

ENTRY

WC CEI	RAMICS	INSTA	LLATION ELE	MENTS	WC FLUSH	CONTROLS	POWER SUPPLY AND CONNECTIVITY			
	WC ceramics with TurboFlush including WC seat			Geberit Kombifix Sigma 12 cm	Automatic	/touchless	Power & Connect box	Power supply unit + intermediate bottom + connecting cable	Power supply uni with converter, intermediate bottom + connecting cable	
500.201.01.1 500.20 WC ceramic: White/ KeraTect Kera Design cover: White Design co	C ceramic: White/ WC ceramic: White/ WC ceramic: White material was a construct with the material was a cons		461.315.00.5 Odour extraction with exhaust air	110.367.00.5 Odour extraction with exhaust air	116.090.SG.6 Sigma80 black 116.090.SM.6 Sigma80 mirrored		116.061.00.1*	116.097.00.1*	115.861.00.6	
Geberit Acanto Turb	502.774.00.8 with KeraTect	111.300.00.5	461.311.00.5	110.300.00.5				WC flush control installation set 12 V		

*Suitable for Geberit Duofix and Geberit GIS elements







ADVANCED



ADVANCED STANDARD **ENTRY**

GEBERIT URINAL

INTE	GRATED CONTRO	OLS	CONNEC- TIVITY	INSTAL	LLATION ELEM	MENTS	URI	NAL DIVISIO	ONS	OPTIONAL ACCESSORIES		
Urinals with spray head	Mains operation	Generator operation	Geberit Bus converter	Geberit Duofix	Geberit GIS	Geberit Kombifix	Ceramic	Plastic	Glass	Hybrid water seal	Drain screen	
		SA	116.370.00.1	111.686.00.1	461.686.00.1	457.686.00.1	110000000 White	115.202.11.1 White-alpine, round design	115.211.TD.1 White	116.066.00.1	116.059.00.1 Plastic	
Geberit Preda	116.072.00.1	116.074.00.1	When using the converter, Geberit recommends ordering the battery version of the urinal.						115.211.CD.1 Anthracite	116.058.00.1	116.059.SN.1 Stainless steel	
Geberit Selva	116.082.00.1	116.084.00.1						115.201.11.1 White-alpine, square design	115.211.TF.1 Umber		243.584.00.1 Scented strainer	
Geberit Tamina	116.142.00.1	116.144.00.1										





ADVANCED

GEBERIT WASHBASIN AREA





NEW BUILDINGS AND FULL RENOVATIONS

ADVANCED STANDARD

ENTRY

	WA	ASHBASINS			TRAPS AND A	CCESSORIES	INSTALLATIO	N ELEMENTS	TA	PS	CONNECTIVI- TY	ACCESSORIES
Model	50 cm	60 cm	75 cm	90 cm			Geberit Duofix	Geberit GIS	Geberit Piave	Geberit Brenta	Geberit Bus converter	Cover plates
Geberit ONE horizontal: White/KeraTect Cover: White high- gloss	505.018.00.1	505.033.00.1	505.035.00.1	505.037.00.1	245.451.11.1 505.082.14.1 505.082.21.1 505.082.GH.1 Geberit ONE drain covers	Included with the Geberit ONE hori- zontal washbasin: Washbasin connec- tor and water seal Space-saving mod-	111.558.00.1	461.146.00.1	L = 220 mm	L = 220 mm	116.371.00.1	244.654.00.1 Protection box
	505.023.00.1 Lay-on wash- basin					el	A		116.281.XX.1 Mains operation, without mixer	116.291.XX.1 Mains operation, without mixer		
Geberit ONE vertical: White/KeraTect	505.021.01.6	505.021.01.1	505.021.01.2	505.021.01.3	151.019.01.1 (46x32/40)	152.089.01.1 (d32)			116.282.XX.1 Mains operation, with mixer	116.292.XX.1 Mains operation, with mixer	When using the converter, Geberit recommends ordering the battery version of the tap.	116.421.00.1 Tile-bearing
	505.031.01.6 Lay-on wash- basin				*	505.058.01.1 505.058.21.1			116.287.XX.1 Mains operation, thermostat	116.297.XX.1 Mains operation, thermostat		ZZIBB
Geberit Preciosa II White/KeraTect	sin with tap hole	123261600 Washbasin with shelf surface without tap hole		123291600 Washbasin with shelf surface without tap hole					116.285.XX.1 Generator operation, without mixer	116.295.XX.1 Generator operation, without mixer		116.425.11.1 Plastic white
	Width: 40 cm				d32 151.034.11.1 151.034.14.1 151.034.21.1 d40 151.035.11.1 151.035.14.1 151.035.21.1	5 cm 152.050.14.1 152.050.21.1 8 cm 152.080.14.1 152.080.21.1			116.286.XX.1 Generator operation, with mixer	116.296.XX.1 Generator operation, with mixer		

Designs

11 = white alpine

14 = black matt

01 = white 21 = brushed stainless steel


Design cover

21 = bright chrome-plated Touchless activation GH = brushed chrome

XX designs

14 = black matt; 21 = bright chrome-plated;







Public sanitary facilities with high user frequencies, for example at transit facilities, exhibition centres, sports facilities or shopping centres, are subject to high requirements. Reliability, hygiene, protection against damage, and ease of maintenance are the main focus here. The combination of high product quality and simple maintenance, together with the long-term supply of spare parts, forms the basis for straightforward operation and a long service life.



1 HYGIENIC AND AESTHETICALLY PLEASING WC SOLUTION

with: Geberit iCon WC - Geberit Sigma10 flush plate - Geberit WC installation element

- Rimfree® WC ceramic appliance
- WC seat ring and WC lid with SoftClosing and QuickRelease
- Automatic flush actuation after use
- · Manual, touchless flush actuation possible

2 EASY-TO-CLEAN URINAL WITH ON-DEMAND FLUSH ACTUATION

with: Geberit Narva urinal – Geberit Type 10 urinal flush control – Geberit urinal division – Geberit Duofix urinal installation element

- · Rimless urinal with spray head
- Automatic flush actuation after use
- Easy access to all functional parts

3 ELEGANT WASHBASIN COMBINATION WITH WATER-SAVING, TOUCHLESS DECK-MOUNTED TAP

with: Geberit iCon washbasin – Geberit Piave deck-mounted tap

- Geberit Duofix washbasin installation element
- Slim, modern washbasin
- Touchless deck-mounted tap with intuitive operation
- Fully integrated thermostat function with high user convenience and scald protection

GEBERIT

STANDARD

GEBERIT WC





NEW BUILDINGS AND **FULL RENOVATIONS**

ADVANCED STANDARD

ENTRY

WC CE	RAMICS	WC SEATS	INSTA	LLATION ELE	MENTS	WC	FLUSH CONTRO	OLS	POWER SU	JPPLY AND CON	NECTIVITY
Geberit iCon	Geberit iCon	Geberit iCon	Geberit	Geberit	Geberit	Wit	h Sigma10 actuator p	late	Power &	Power supply	Power supply
wall-hung WC, washdown, Rimfree	wall-hung WC, small projection, Rimfree	WC seat / WC seat ring	Duofix Sigma 12 cm	GIS Sigma 12 cm	Kombifix Sigma 12 cm	Automatic/ touchless	Automatic/ touchless, screwable	Automatic/ touchless/ manual	Connect box	unit + intermedi- ate bottom + connecting ca- ble	unit with converter, intermediate bottom + connecting cable
501.661.00.1 White	502.380.00.1 White	574120000 Standard	111.364.00.5 Odour extraction	461.315.00.5 Odour extraction	110.367.00.5 Odour extraction				116.061.00.1*	116.096.00.1*	116.097.00.1*
501.661.00.8	502.380.00.8	574130000	with exhaust air	with exhaust air	with exhaust air					-	-
White/KeraTect	White/KeraTect	Soft closing 501.660.01.1							100		
		Soft closing + quick release (lockable)	-	- L	-	Stainless steel 115.907.16.6 115.907.DW.6 115.907.SN.6	Stainless steel 115.906.16.6 115.906.DW.6 115.906.SN.6	Stainless steel 115.890.16.6 115.890.DW.6 115.890.SN.6			
						115.907.JQ.6 115.907.KH.6 115.907.KJ.6 115.907.KK.6 115.907.KM.6					
		6	111.300.00.5	461.311.00.5	110.300.00.5					115.861.00.6 WC flush control installation set 12 V	
		501.875.00.1									
					-						
		0			300						
					Ţ						

Designs

16 = black matt/black; DW = black/black matt; JQ = matt chrome/bright chrome-plated; KH = bright chrome-plated/matt chrome-plated; KJ = white/bright chrome-plated; KK = white/gold-plated; KM = black/bright chrome-plated; SN = brushed stainless steel







STANDARD



ADVANCED STANDARD **ENTRY**

GEBERIT URINAL

U	IRINALS		CONTROLS	CONNEC- TIVITY		TALLATIOI			URI	NAL DIVISI	ONS	OI		PTIONAL ACCESSORIE	
				1114111		INOTALLA	TION OLIO						Drain strainers		Traps
With flush rim V	With spray head	With spray head	Mains operation	Geberit Bus converter	Geberit Duofix	Geberit GIS	Geberit Kombifix	Installation sets	Ceramic	Plastic	Glass	For Geberit Renova, Renova Plan	For Geberit Narva	For Geberit Tan	Preda, Selva, nina
Geberit Renova Trigonal 501.665.00.1		Geberit Preda 116.070.00.1	Type 01 116.021.11.5 116.021.21.5	116.371.00.1	For u	461.621.00.1	457.611.00.1	116.001.00.1	110000000 White	115.202.11.1 White-alpine, round design	115.211.TD.1 White	510410000 Stainless steel	116.067.00.1 Plastic	116.059.00.1 Plastic	116.066.00.1
			Type 10 116.025.16.1 116.025.DW.1 116.025.JQ.1 116.025.KH.1 116.025.KJ.1	When using the converter, Geberit recommends ordering the											116.058.00.7
ieberit Renova Plan 235100000		Geberit Selva 116.080.00.1	116.025.KK.1 116.025.KM.1 116.025.SN.1	battery version of the control unit, if available.	For ur	rinals with spra 461.606.00.1	y head 457.606.00.1				115.211.CD.1 Anthracite	-	500.675.00.1 Stainless steel	116.059.SN.1 Stainless steel	T
			Type 30 116.027.16.1 116.027.JQ.1 116.027.KH.1 116.027.KJ.1 116.027.KM.1 116.027.KX.1					116.003.00.1		115.201.11.1 White-alpine, square design			The state of the s		
Geberit Renova 23530000		Geberit Tamina 116.140.00.1	Type 50 116.026.GH.1 116.026.QB.1 116.026.QD.1 116.026.QF.1 Hidden 116.086.00.1 Not compatible		For urin	461.689.00.1	457.689.00.1	242.042.00.1 Inlet crossbar for urinal, with			115.211.TF.1 Umber			243.584.00.1 Scented strainer	

Type 01 designs 11 = white;

JQ = matt chrome

Type 10 and type 30 designs

16 = black matt/black; DW = black/black matt;

21 = bright chrome-plated; JQ = matt chrome/bright chrome-plated;

KH = bright chrome-plated; KJ = white/bright chrome-plated; QD = black chrome/brushed; KK = white/gold-plated; KM = black/bright chrome-plated; QF = brass-coloured/brushed

KX = brushed chrome-plated; SN = brushed stainless steel

Type 50 designs

GH = brushed chrome-plated;

QB = red gold/brushed;







STANDARD

GEBERIT WASHBASIN AREA



NEW BUILDINGS AND FULL **RENOVATIONS**

ADVANCED STANDARD **ENTRY**

	WASH	BASINS		INSTAI	LLATION ELE	MENTS	TA	APS .	CONNECTIV- ITY	TRAPS AND ACCESSORIES			
Seberit iCon		Geberit VariForm	1	Geberit Duofix	Geberit GIS	Installation sets	Geberit Piave	Geberit Brenta	I I	Cover plates	Traps	Drain valve	
	Enhancement solution	Installation	Substructure						converter				
501.834.00.5 60 cm	500.781.01.2 60 cm	500.743.01.2 55 cm	500.767.01.2 50 cm	111.551.00.1	451.145.00.1	116.130.00.1			116.371.00.1	244.654.00.1 Protection box			
										·D.		9	
	500.770.01.2 45 cm	500.707.01.2 48 cm	500.747.01.2 33 cm						When using the converter, Geberit recommends	116.421.00.1 Tileable			
							116.181.XX.1	operation,	ordering the battery version of the tap.		d32	5 cm	
							Mains operation, without mixer	with mixer		The state of the s	151.034.11.1 151.034.14.1 151.034.21.1	151.050.14 152.050.21	
501.835.00.5	500.773.01.2	500.727.01.2	500.755.01.2	_			116.182.XX.1	116.191.XX.1		116.425.11.1	d40	8 cm 152.080.14	
75 cm	60 cm	60 cm	50 cm				Mains operation, with mixer	Mains operation, without mixer		White plastic	151.035.11.1 151.035.14.1 151.035.21.1	152.080.21	
							116.187.XX.1 Mains operation, thermostat	116.192.XX.1 Mains operation, with mixer					
	500.778.01.2 60 cm	500.735.01.2 60 cm	500.759.01.2 55 cm				116.185.XX.1 Generator operation,	116.197.XX.1 Mains operation, thermostat					
							without mixer 116.186.XX.1 Generator	116.195.XX.1 Generator operation,					

Washbasin also available with a KeraTect finish Geberit iCon: XXX.XXX.00.6; Geberit VariForm XXX.XXX.00.2 The washbasins are also available with an overXX designs

14 = black matt; 21 = bright chrome-plated; SN = brushed stainless steel



Designs

11 = white alpine

14 = black matt

21 = bright chrome-plated



These packages can be connected to a Geberit Gateway



Semi-public sanitary facilities, for example in educational establishments, workplaces and municipal buildings, require attractive and economical facilities. Geberit offers a wide assortment of sturdy and well-designed sanitary solutions with an ideal price-performance ratio.



1 FUNCTIONAL SOLUTION FOR ECONOMICAL WC FACIL-

with: Geberit Renova WC – Geberit Sigma10 actuator plate – Geberit Duofix WC installation element

- WC ceramic appliance with flush rim
- Manual flush actuation

2 PRACTICAL URINAL INSTALLATION WITH HIGH EASE OF MAINTENANCE

with: Geberit Renova Trigonal urinal – Geberit Type 10 urinal flush control – Geberit urinal division – Geberit Duofix urinal installation element

- Urinal with flush rim
- Manual flush actuation
- Easy access to all functional parts

3 CLASSIC, ROBUST AND WATER-SAVING WASHBASIN

with: Geberit Renova washbasin – Geberit Piave washbasin tap – Geberit Duofix washbasin installation element

- Functional washbasin
- Touchless deck-mounted tap with intuitive operation
- Mechanical mixer tap



ENTRY

GEBERIT WC

NEW BUILDINGS AND FULL RENOVATIONS

ADVANCED

STANDARD

ENTRY

WC CEI	RAMICS	WC SE	EATS	INS	TALLATION ELEME	NTS	ACTUATO	R PLATES
Geberit Renova wall-hung WC	Geberit Renova Compact wall-hung WC	WC seat	WC seat ring	Geberit Duofix Sigma 12 cm	Geberit GIS Sigma 12 cm	Geberit Kombifix Sigma 12 cm	Sigma10 stop-and-go flush, screwable	Sigma10 stop-and-go flush
Rimfree 203070000 White 203070600 White/KeraTect	Rimfree 500.377.01.1 White 500.377.01.8 White/KeraTect	573015000 Standard 573025000 Soft closing 500.836.01.1 Soft closing + quick release	500.680.01.1 Standard	111.364.00.5 Odour extraction with exhaust air	461.315.00.5 Odour extraction with exhaust air	110.367.00.5 Odour extraction with exhaust air	Stainless steel 115.787.SN.5	Stainless steel 115.758.01.5 115.758.14.5 115.758.16.5 115.758.JT.5 115.758.SN.5
Rimfree 203050000 White 203050600 White/KeraTect	Rimfree 502.297.01.1 White 502.297.01.8 White/KeraTect							
203040000 White 203040600 White/KeraTect	203245000 White 203245600 White/KeraTect			111.300.00.5	461.311.00.5	110.300.00.5		Plastic 115.758.JQ.5 115.758.KH.5 115.758.KJ.5
								115.758.KK.5 115.758.KM.5
Wall-hung WC, washdown, with marked seating surfaces 203045000 White 203045600 White/KeraTect	NA	NA	NA					

Design

01 = white matt/white; 14 = black matt; 16 = black matt/black; JT = white matt; JQ = chrome matt/gloss chrome-plated; KH = high-gloss chrome-plated; KJ = white; KK = white/gold-plated; KM = black; SN = brushed stainless steel



ENTRY

GEBERIT URINAL

NEW BUILDINGS AND FULL RENOVATIONS

ADVANCED

STANDARD

ENTRY

	URINALS		CONTROLS		ALLATION			URII	NAL DIVISI	ONS		ACCES	SORIES	
					INSTALLA	IION KIIS						Orain strainer	S	Traps
With flush rim	With spray head	With spray head	Manual	Geberit Duofix	Geberit GIS	Geberit Kombifix	Installation sets	Ceramic	Plastic	Glass	For Geberit Renova, Renova Plan	Narva	For Gebe Selva, 1	
Geberit Renova Trigonal 501.665.00.1	Geberit Narva 501.655.00.1	Geberit Preda 116.070.00.1	Type 01 116.011.11.5 116.011.21.5 116.011.JQ.5	For u	461.621.00.1	457.611.00.1	116.001.00.1	110000000 White	115.202.11.1 White-alpine, round design	115.211.TD.1 White	510410000 Stainless steel	116.067.00.1 Plastic	116.059.00.1 Plastic	strainer
			Type 10 116.015.16.1 116.015.DW.1	8.	0						resso			
Renova Plan 235100000		Geberit Selva 116.080.00.1	116.015.JQ.1 116.015.KH.1 116.015.KJ.1 116.015.KK.1							115.211.CD.1 Anthracite		500.675.00.1 Stainless steel	116.059.SN.1 Stainless steel	116.066.00.1
			116.015.KM.1 116.015.SN.1 Type 30	For ur	inals with spra	y head	116.003.00.1		115.201.11.1			Ant.	1	9
			116.017.16.1 116.017.DW.1 116.017.JQ.1 116.017.KH.1 116.017.KJ.1	111.676.00.1	461.606.00.1	457.606.00.1	110000000		White-alpine, square design					
Geberit Renova 235300000		Geberit Tamina 116.140.00.1	116.017.KK.1 116.017.KM.1							115.211.TF.1 Umber			243.584.00.1 Scented	
0			Type 50 116.016.11.5 116.016.DW.5 116.016.GH.5 116.016.JK.5 116.016.JL.5 116.016.SD.5	<u>[]</u>										

Type 01 designs 11 = white;

Type 10 and type 30 designs 16 = black matt/black; DW = black/black matt; JQ = matt chrome/bright 11 = white alpine; DW = jet black; GH = brushed chrome-plated; 21 = bright chrome-plated; chrome-plated; KJ = white/bright chrome-plated; KJ = white/bright chrome-plated; KK = white/gold-plated; KM = black/bright chrome-plated; SN = brushed stainless steel

Type 50 designs

JK = lava/glass; JL = sand grey/glass; SD = mirrored smoked glass



ENTRY

GEBERIT WASHBASIN AREA





NEW BUILDINGS AND FULL **RENOVATIONS**

ADVANCED STANDARD

ENTRY

	WASHI	BASINS		INSTA	LLATION ELE	MENT	ТА	PS	TRAP	S AND ACCESS	ORIES
Model	50 cm	55 cm	60 cm	Geberit Duofix	Geberit GIS	Installation sets	Geberit Piave	Geberit Brenta	Cover plates	Traps	Drain valves
Geberit Renova	500.498.01.1 Without overflow	500.578.01.1 Without overflow	500.599.00.1 Without overflow	111.551.00.1	461.145.00.1	116.130.00.1					
	500.376.01.1 With overflow	500.369.01.1 With overflow	500.370.01.1 With overflow				116.181.XX.1 Mains operation, without mixer	116.191.XX.1 Mains operation, without mixer	Plastic 116.425.11.1	d32 151.034.11.1 151.034.14.1 151.034.21.1 d40 151.035.11.1 151.035.14.1 151.035.21.1	5 cm 152.005.00.1
Geberit Renova Plan	501.629.00.1 Without overflow	501.633.00.1 Without overflow	501.637.00.1 Without overflow				116.182.XX.1 Mains operation, with mixer	116.192.XX.1 Mains operation, with mixer		101.000.21.1	
							116.187.XX.1 Mains operation, thermostat	116.197.XX.1 Mains operation, thermostat			
	501.628.00.1 With overflow	501.632.00.1 With overflow	501.636.00.1 With overflow				116.185.XX.1 Generator operation, without mixer	116.195.XX.1 Generator operation, without mixer			5 cm 152.050.14.1 152.050.21.1
							116.186.XX.1 Generator operation, with mixer	116.196.XX.1 Generator operation, with mixer			8 cm 152.080.14.1 152.080.21.1

Washbasin also available with a KeraTect finish XXX.XXX.00.8

XX designs

14 = black matt;

21 = bright chrome-plated;

SN = brushed stainless steel look



Designs

11 = white alpine

14 = black matt

21 = bright chrome-plated



TAKING TOTAL COSTS INTO ACCOUNT

BEYOND THE TIP OF THE ICEBERG


Looking at investment costs alone is just the tip of the iceberg. As the useful life increases, the operating costs for cleaning, maintenance and water and energy consumption add up and have a significant impact on the economic efficiency of sanitary facilities in semi-public or public buildings. The total costs for the Advanced, Standard and Entry product combinations were calculated taking into account the one-off costs* to provide decision-makers with a complete cost overview.

SUMMARY

The Advanced solution is the ideal choice over an observation period of 10 years. The higher purchase price of the Advanced solution will pay off over years of operation through lower operating costs.




COMPARISON OF THE TOTAL COSTS FOR THE WC SYSTEM




Water consumption** and cleaning costs are significantly reduced thanks to innovative Geberit solutions such as TurboFlush flush technology. This also reduces the risk of

blockages. High-quality products in the Advanced solution range, such as the touchless Design actuator plate and WC with TurboFlush, enhance the customer experience.




COMPARISON OF THE TOTAL COSTS FOR THE URINAL SYSTEM



Rimless urinals with a spray head can significantly reduce cleaning costs. Maintenance costs are greatly reduced thanks to the integrated and easily accessible control unit, as well as simple and quick access to the drainage system without dismantling the urinal.

Innovative products in the Advanced solution range, such as the modern, ergonomically designed urinal ceramic and the high-quality Design urinal partition made of glass, enhance the customer experience.

COMPARISON OF THE TOTAL COSTS FOR THE WASHBASIN AREA





Cleaning costs are significantly reduced by the wall-mounted tap and the washbasin with horizontal drain. Innovative products in the Advanced solution range, such as the wallmounted tap with thermostat function and the washbasin with horizontal spout, improve the customer experience.

% Price indication for the investment

Indication of installation costs and operating costs over 10 years



Water costs [EUR]

Cleaning costs [EUR] (cleaned once a day)

Maintenance costs [EUR]

^{*}Basic assumptions: Useful life: 10 years; number of operating days/year: 250 (50 weeks of 5 days each); user frequency per day: medium (WC = 50; UR = 50; washbasin = 100); hourly rate for installer: 80 EUR/h; hourly rate for building systems & cleaning: 40 EUR/h; water price incl. waste water: 5 EUR/m

^{**}Water consumption for WCs with TurboFlush 4 L: Reduced quantity can be set on the cistern (factory setting 6 L)

Company Street City Country

P 00 00 000 00 00

lorem.ipsum@geberit.xy www.geberit.xy